Authentication and authorization


Working with security, network configurations, and general preferences

Managing users

Users can be added by an organization's user administrators. On the Organizations Management page, user administrators can perform the following actions:

- Create new users (owners or normal)
- Edit user roles or owner privileges
- Lock or unlock active users
- Resend invitations to pending users
- Delete users
- Reset authenticators for active users New owners can be added by an organization administrator from the Portal Management page.







Account settings

To check or change personal data, click the user name in the top right corner of the screen. From the drop-down menu, select **Account settings**, and a new pop-up window with the following sections will be displayed:


- Personal Information: Check and edit basic personal data
- Signing in: Change a password or reset the authenticator
- Active user sessions: See all active sessions




Password reset

Users who forget their password can reset it on the sign-in page.

After entering the email address associated with the account, they will receive an email with further instructions.







User sessions

XClarity One users can have up to three user sessions at the same time. Sessions expire after two hours of active use or 30 minutes of idle time. When a user session expires, the user will automatically be signed out and must sign in again to continue their work. XClarity One session timeouts cannot be modified by users.

If five consecutive sign-in attempts fail within a 15-minute period, or if consecutive sign-in attempts occur within one second, the user account will be locked for 60 minutes.



General preferences

- Dates are formatted according to the user's time zone
- All information is displayed in English
- Users are not currently able to set general preferences, but the ability to select certain preferences – for example, dark/light mode, translations, temperature units – will be available in a future release.

